

IN THE CLAIMS:

Please amend the claims as shown below. The claims, as currently pending in the subject application, now read as follows:

1. to 11. (Canceled)

12. (Currently Amended) An image processing apparatus comprising:

a reception unit adapted to receive second data acquired based on location information included in first data described in a markup language, wherein the location information indicates a location at which the second data exists;

~~a print unit adapted to print the second data received by said reception unit;~~

and

a judgment unit adapted to judge whether the second data received by said reception unit is data of a predetermined type~~[[,]]; and~~

a print unit adapted to print the location information instead of the second data if said judgment unit judges that the second data is data of the predetermined type and to print the second data if said judgment unit judges that the second data is not data of the predetermined type

~~wherein said print unit prints the location data instead of the second data if said judgment unit judges that the second data is data of the predetermined type.~~

13. (Previously Presented) The image processing apparatus according to Claim 12, wherein said judgment unit judges whether the second data is image data.

14. (Previously Presented) The image processing apparatus according to Claim 12, wherein the first data is described in HTML and the location information is a URL, and wherein the second data exists at the location specified by the URL.

15. (Previously Presented) The image processing apparatus according to Claim 12, wherein said reception unit receives the second data from an external information processing apparatus.

16. (Previously Presented) The image processing apparatus according to Claim 15, further comprising an acquisition unit adapted to receive the first information from a server via the Internet and acquire the second data, based on the location information included in the received first information, from the external information processing apparatus.

17. (Previously Presented) The image processing apparatus according to Claim 15, wherein the server is a WWW server and the first data is Web page data.

18. (Previously Presented) The image processing apparatus according to Claim 12, further comprising:

a setting unit adapted to set a print processing mode of the image processing apparatus; and

a determination unit adapted to determine the print processing mode set by the setting unit to the image processing apparatus,

wherein said judgment unit only performs the judgment if it is determined by said determination unit that a first print processing mode is set to the image processing apparatus, and said print unit prints the second data if it is determined by said determination unit that a second print processing mode, which is different from the first print processing mode, is set to the image processing apparatus.

19. (Previously Presented) The image processing apparatus according to Claim 18, wherein said setting unit sets the print processing mode according to a user's instruction.

20. (Previously Presented) The image processing apparatus according to Claim 18, wherein said setting unit automatically sets the print processing mode base on the location information.

21. (Currently Amended) A method for an image processing apparatus comprising:

a receiving step of receiving second data acquired based on location information included in first data described in a markup language, wherein the location information indicates a location at which the second data exists;

~~a printing step of printing the second data received in said reception step;~~
and

a judging step of judging whether the second data received in said reception step is data of a predetermined type[.]; and

a print step of printing the location information instead of the second data if
said judgment step judges that the second data is data of the predetermined type and
printing the second data if said judgment step judges that the second data is not data of the
predetermined type

~~wherein said printing step prints the location data instead of the second data~~
~~if said judging step judges that the second data is data of the predetermined type.~~

22. (Currently Amended) A computer-readable storage medium storing a
computer-executable program for an image processing apparatus, said program comprising:

a receiving step of receiving second data acquired based on location
information included in first data described in a markup language, wherein the location
information indicates a location at which the second data exists;

~~a printing step of printing the second data received in said receiving step;~~
and

a judging step of judging whether the second data received in said receiving
step is data of a predetermined type[.]; and

a print step of printing the location information instead of the second data if
said judgment step judges that the second data is data of the predetermined type and
printing the second data if said judgment step judges that the second data is not data of the
predetermined type

~~wherein said printing step prints the location data instead of the second data~~
~~if said judging step judges that the second data is data of the predetermined type.~~